

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	14	((("6052785") or ("6219719") or ("6263446") or ("6119230") or ("6219790") or ("6311269") or ("6606663"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:38
L4	72	"6052785" "6219719" "6263446" "6119230" "6219790" "6311269" "6606663"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:38
L5	1222	(other or administrat\$5 or different or request\$4 or vendor\$5 or customer or distribut\$5 or credent\$5 or author\$5 or authent\$5) with (owner or user or person or subject or client or employee) with (access\$4 or entry or enter or utiliz\$5 or view\$5) with credent\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:41
L6	17	(L3 or L4) and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:49
L7	1226	credential with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:50
L10	17941	(owner or client or subject or person or user or identit\$5) with access\$5 with (other or different or " not ")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:52
L11	11137	certificate and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:53
L12	145	L7 and L10 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:53
S1	4	((("6052785") or ("6119230"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 11:33

S2	2	"6119230".URPN.	USPAT	OR	ON	2004/09/15 06:40
S3	19	"6052785".URPN.	USPAT	OR	ON	2004/09/15 06:40
S4	19	("6119230".URPN. or "6052785".URPN.) and @ad<"20000531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 09:59
S5	15	((("6052785") or ("6119230")).PN.) or (("6119230".URPN. or "6052785".URPN.) and @ad<"20000531")) and (homepage or (web with server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 09:57
S6	162	(web with (platform or based or server or page) with credential) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 09:58
S7	31	((web with (platform or based or server or page) with credential) and key) and @ad<"20000531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 09:59
S8	2	("6311269").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 11:33
S9	1	((("6311269").PN.) and certificat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 11:34
S10	2	("6119230").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 11:34
S11	1	((("6119230").PN.) and certificat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 11:38
S12	0	((("6606663").PN.) and certificat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 11:39

S13	2	((("6052785") or ("6219719") or ("6263446")).PN.) and certificat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 11:39
S14	6	((("6052785") or ("6219719") or ("6263446")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:37
S15	2	("6606663").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 14:20